ELSEVIER

Brain Research 736 (1996) 357–359

BRAIN RESEARCH

Author Index

Agnati, L.F., see Fuxe, K. (736) 329
Ahmed, F.A.K.M., see Dong, K. (736) 61
Arias, J.L., see González-González, S. (736) 1
Arimura, A., see Uchida, D. (736) 280
Assenmacher, I., see Maurel, D. (736) 165

Banks, W.A., see Uchida, D. (736) 280
Bär, P.R., see Joosten, E.A.J. (736) 91
Barbanel, G., see Maurel, D. (736) 165
Barros, H.M.T., see Belej, T. (736) 287
Behle, K., see Blümcke, I. (736) 217
Beju, D., see Schechter, R. (736) 16
Belej, T., Manji, D., Sioutis, S., Barros, H.M.T. and Nobrega, J.N.
Changes in serotonin and norepinephrine uptake sites after chronic cocaine: pre- vs. post-withdrawal effects (736) 287
Blümcke, I., Behle, K., Malitschek, B., Kuhn, R., Knöpfel, T., Wolf, H.K. and Wiestler, O.D.
Immunohistochemical distribution of metabotropic glutamate receptor subtypes mGluR1b, mGluR2/3, mGluR4a and mGluR5 in human hippocampus (736) 217
Bogdanov, M.B., Tjurmina, O.A. and Wurtman, R.J.
Consumption of a high dietary dose of monosodium glutamate fails to affect extracellular glutamate levels in the hypothalamic arcuate nucleus of adult rats (736) 76
Bohus, B., see Korte, S.M. (736) 338
Bonastre, M., see Marin, C. (736) 202
Brot, M.D., see Figlewicz, D.P. (736) 54
Bujas, M., see Peričić, D. (736) 174
Butler, E.G., Finkelstein, D.I., Harvey, M.C., Churchward, P.R., Forlano, L.M. and Horne, M.K.
The relationship between monkey ventrolateral thalamic nucleus activity and kinematic parameters of wrist movement (736) 146
Buwalda, B., see Korte, S.M. (736) 338

Cardin, S., see Wang, L. (736) 44
Cespuglio, R., see Marinesco, S. (736) 82
Chang, S.L., Patel, N.A., Romero, A.A., Thompson, J. and Zadina, J.E.
FOS expression induced by interleukin-1 or acute morphine treatment in the rat hypothalamus is attenuated by chronic exposure to morphine (736) 227
Chapman, M.A. and Zahm, D.S.
Altered Fos-like immunoreactivity in terminal regions of the mesotelencephalic dopamine system is associated with reappearance of tyrosine hydroxylase immunoreactivity at the sites of focal 6-hydroxydopamine lesions in the nucleus accumbens (736) 270
Chase, T.N., see Marin, C. (736) 202
Chen, H.-b., see Khalil, Z. (736) 206
Churchward, P.R., see Butler, E.G. (736) 146
Coimbra, N.C., Eichenberger, G.C.D., Gorchinski, R.T. and Maisonnette, S.
Effects of the blockade of opioid receptor on defensive reactions elicited by electrical stimulation within the deep layers of the superior colliculus and DPAG (736) 348
Coutinho, S.V., Meller, S.T. and Gebhart, G.F.
Intracolonic zymosan produces visceral hyperalgesia in the rat that is mediated by spinal NMDA and non-NMDA receptors (736) 7

Debilly, G., see Marinesco, S. (736) 82
De Kloet, E.R., see Korte, S.M. (736) 338
Díaz, F., see González-González, S. (736) 1
Dong, K., Qu, T., Ahmed, F.A.K.M., Zhang, L., Yamada, K., Guison, N.G., Miller, M. and Yamadori, T.
Fluoro-Green and Fluoro-Red: two new fluorescent retrograde tracers with a number of unique properties (736) 61
Doornbos, R., see Joosten, E.A.J. (736) 91
Dougherty, K.D., Salat, D. and Walsh, T.J.
Intraseptal injection of the cholinergic immunotoxin 192-IgG saporin fails to disrupt latent inhibition in a conditioned taste aversion paradigm (736) 260

Eichenberger, G.C.D., see Coimbra, N.C. (736) 348
Emerich, D.F., Plone, M., Francis, J., Frydel, B.R., Winn, S.R. and Lindner, M.D.
Alleviation of behavioral deficits in aged rodents following implantation of encapsulated GDNF-producing fibroblasts (736) 99
Engber, T.M., see Marin, C. (736) 202

Fehlings, M.G. and Nashmi, R.
Changes in pharmacological sensitivity of the spinal cord to potassium channel blockers following acute spinal cord injury (736) 135
Figlewicz, D.P., Brot, M.D., McCall, A.L. and Szot, P.
Diabetes causes differential changes in CNS noradrenergic and dopaminergic neurons in the rat: a molecular study (736) 54
Finkelstein, D.I., see Butler, E.G. (736) 146
Forlano, L.M., see Butler, E.G. (736) 146
Forsberg, N., see Fuxe, K. (736) 329
Foster, T.C., Gagne, J. and Massicotte, G.
Mechanism of altered synaptic strength due to experience: relation to long-term potentiation (736) 243
Francis, J., see Emerich, D.F. (736) 99
Franzen, R., see Joosten, E.A.J. (736) 91
Frydel, B.R., see Emerich, D.F. (736) 99
Fukuda, K., Richmon, J.D., Sato, M., Sharp, F.R., Panter, S.S. and Noble, L.J.
Induction of heme oxygenase-1 (HO-1) in glia after traumatic brain injury (736) 68
Fuxe, K., Agnati, L.F., Tinner, B., Forsberg, N., McCourt, P. and Gustafson, S.
Evidence for receptors for hyaluronan in discrete nerve cell populations of the brain (736) 329

Gaffney, T., see Schechter, R. (736) 16
Gagne, J., see Foster, T.C. (736) 243
Gandolfo, G., Schweitz, H., Lazdunski, M. and Gottesmann, C.
Sleep cycle disturbances induced by apamin, a selective blocker of Ca^{2+}-activated K^+ channels (736) 344
Gebhart, G.F., see Coutinho, S.V. (736) 7
Giardino, L., Zanni, M. and Pignataro, O.
DA1 and DA2 receptor regulation in the striatum of young and old rats after peripheral vestibular lesion (736) 111
Gilbert, M.E., Mack, C.M. and Lasley, S.M.
Chronic developmental lead exposure increases the threshold for long-term potentiation in rat dentate gyrus in vivo (736) 118
Gilbert, M.E., see Lasley, S.M. (736) 125
Goldstein, B.D., see Zachariou, V. (736) 305
González-González, S., Díaz, F., Vallejo, G. and Arias, J.L.
Functional sexual dimorphism of the nucleolar organizer regions in the tuberomamillary nucleus (736) 1
Gorchinski, R.T., see Coimbra, N.C. (736) 348

Gottesmann, C., see Gandolfo, G. (736) 344
Guison, N.G., see Dong, K. (736) 61
Gustafson, S., see Fuxe, K. (736) 329

Hafidi, A., Katz, J.A. and Sanes, D.H.
Differential expression of MAG, MBP and L1 in the developing lateral superior olive (736) 35
Hao, J.-X., Yu, W., Xu, X.-J. and Wiesenfeld-Hallin, Z.
Effects of intrathecal vs. systemic clonidine in treating chronic allodynia-like response in spinally injured rats (736) 28
Harvey, M.C., see Butler, E.G. (736) 146
Helme, R.D., see Khalil, Z. (736) 206
Hooiveld, M., see Joosten, E.A.J. (736) 91
Hori, T., see Oka, T. (736) 237
Horne, M.K., see Butler, E.G. (736) 146
Hosoi, M., see Oka, T. (736) 237

Ito, K.-I., see Kammesheidt, A. (736) 297
Ixart, G., see Maurel, D. (736) 165

Joosten, E.A.J., Verhaagh, S., Martin, D., Robe, P., Franzen, R., Hooiveld, M., Doornbos, R., Bär, P.R. and Moonen, G.
Alpha-MSH stimulates neurite outgrowth of neonatal rat corticospinal neurons in vitro (736) 91
Jouvet, M., see Marinesco, S. (736) 82

Kammesheidt, A., Ito, K.-I., Kato, K., Villarreal, L.P. and Sumikawa, K.
Transduction of hippocampal CA1 by adenovirus in vivo (736) 297
Kato, K., see Kammesheidt, A. (736) 297
Katz, J.A., see Hafidi, A. (736) 35
Keijser, J., see Korte, S.M. (736) 338
Khalil, Z., Chen, H.-b. and Helme, R.D.
Mechanisms underlying the vascular activity of β-amyloid protein fragment ($\beta A_4 25–35$) at the level of skin microvasculature (736) 206
Kitagawa, K., see Ohtsuki, T. (736) 353
Knöpfel, T., see Blümcke, I. (736) 217
Korte, S.M., Meijer, O.C., De Kloet, E.R., Buwalda, B., Keijser, J., Sluyter, F., Van Oortmerssen, G. and Bohus, B.
Enhanced 5-HT_{1A} receptor expression in forebrain regions of aggressive house mice (736) 338
Kuhn, R., see Blümcke, I. (736) 217

Lasley, S.M. and Gilbert, M.E.
Presynaptic glutamatergic function in dentate gyrus in vivo is diminished by chronic exposure to inorganic lead (736) 125
Lasley, S.M., see Gilbert, M.E. (736) 118
Lazdunski, M., see Gandolfo, G. (736) 344
Lin, Q., see Peng, Y.B. (736) 189
Lindner, M.D., see Emerich, D.F. (736) 99

Mabuchi, T., see Ohtsuki, T. (736) 353
Mack, C.M., see Gilbert, M.E. (736) 118
Maisonnette, S., see Coimbra, N.C. (736) 348
Malitschek, B., see Blümcke, I. (736) 217
Mandai, K., see Ohtsuki, T. (736) 353
Manev, H., see Peričić, D. (736) 174
Manji, D., see Belej, T. (736) 287
Marin, C., Papa, S., Engber, T.M., Bonastre, M., Tolosa, E. and Chase, T.N.
MK-801 prevents levodopa-induced motor response alterations in parkinsonian rats (736) 202
Marinesco, S., Poncet, L., Debilly, G., Jouvet, M. and Cespuglio, R.
Effects of tianeptine, sertraline and clomipramine on brain serotonin metabolism: a voltammetric approach in the rat (736) 82
Martin, D., see Joosten, E.A.J. (736) 91
Martínez, V., see Wang, L. (736) 44
Massicotte, G., see Foster, T.C. (736) 243
Matsumoto, M., see Ohtsuki, T. (736) 353
Matsushita, K., see Ohtsuki, T. (736) 353
Maurel, D., Ixart, G., Barbanel, G., Mekaouche, M. and Assenmacher, I.
Effects of acute tilt from orthostatic to head-down antiorthostatic restraint and of sustained restraint on the intra-cerebroventricular pressure in rats (736) 165
McCall, A.L., see Figlewicz, D.P. (736) 54
McCourt, P., see Fuxe, K. (736) 329
Meijer, O.C., see Korte, S.M. (736) 338
Mekaouche, M., see Maurel, D. (736) 165
Meller, S.T., see Coutinho, S.V. (736) 7
Miller, A.D., see Siniaia, M.S. (736) 160
Miller, M., see Dong, K. (736) 61
Moonen, G., see Joosten, E.A.J. (736) 91

Nashmi, R., see Fehlings, M.G. (736) 135
Niparko, J.K., see Saada, A.A. (736) 315
Noble, L.J., see Fukuda, K. (736) 68
Nobrega, J.N., see Belej, T. (736) 287

Ohno, M. and Watanabe, S.
Blockade of 5-HT_{1A} receptors compensates loss of hippocampal cholinergic neurotransmission involved in working memory of rats (736) 180
Ohtsuki, T., Kitagawa, K., Yamagata, K., Mandai, K., Mabuchi, T., Matsushita, K., Yanagihara, T. and Matsumoto, M.
Induction of cyclooxygenase-2 mRNA in gerbil hippocampal neurons after transient forebrain ischemia (736) 353
Oka, K., see Oka, T. (736) 237
Oka, T., Oka, K., Hosoi, M. and Hori, T.
Inhibition of peripheral interleukin-1β-induced hyperalgesia by the intracerebroventricular administration of diclofenac and α-melanocyte-stimulating hormone (736) 237

Panter, S.S., see Fukuda, K. (736) 68
Papa, S., see Marin, C. (736) 202
Patel, N.A., see Chang, S.L. (736) 227
Peng, Y.B., Lin, Q. and Willis, W.D.
Effects of GABA and glycine receptor antagonists on the activity and PAG-induced inhibition of rat dorsal horn neurons (736) 189
Peričić, D., Manev, H. and Bujas, M.
Gonadal hormones and picrotoxin-induced convulsions in male and female rats (736) 174
Pignataro, O., see Giardino, L. (736) 111
Plone, M., see Emerich, D.F. (736) 99
Poncet, L., see Marinesco, S. (736) 82

Qu, T., see Dong, K. (736) 61

Richmon, J.D., see Fukuda, K. (736) 68
Robe, P., see Joosten, E.A.J. (736) 91
Romero, A.A., see Chang, S.L. (736) 227
Ryugo, D.K., see Saada, A.A. (736) 315

Saada, A.A., Niparko, J.K. and Ryugo, D.K.
Morphological changes in the cochlear nucleus of congenitally deaf white cats (736) 315
Salat, D., see Dougherty, K.D. (736) 260
Sanes, D.H., see Hafidi, A. (736) 35
Sato, M., see Fukuda, K. (736) 68
Scarbrough, K. and Turek, F.W.
Quantitative differences in the circadian rhythm of locomotor activity and vasopressin and vasoactive intestinal peptide gene expression in the suprachiasmatic nucleus of *tau* mutant compared to wildtype hamsters (736) 251
Schaefer, F., see Schechter, R. (736) 16
Schechter, R., Beju, D., Gaffney, T., Schaefer, F. and Whetsell, L.
Preproinsulin I and II mRNAs and insulin electron microscopic immunoreaction are present within the rat fetal nervous system (736) 16
Schweitz, H., see Gandolfo, G. (736) 344
Sharp, F.R., see Fukuda, K. (736) 68
Shioda, S., see Uchida, D. (736) 280
Siniaia, M.S. and Miller, A.D.
Vestibular effects on upper airway musculature (736) 160
Sioutis, S., see Belej, T. (736) 287
Sluyter, F., see Korte, S.M. (736) 338
Somogyvári-Vigh, A., see Uchida, D. (736) 280
Sumikawa, K., see Kammesheidt, A. (736) 297
Szot, P., see Figlewicz, D.P. (736) 54

Taché, Y., see Wang, L. (736) 44
Thompson, J., see Chang, S.L. (736) 227
Tinner, B., see Fuxe, K. (736) 329
Tjurmina, O.A., see Bogdanov, M.B. (736) 76
Tolosa, E., see Marin, C. (736) 202
Turek, F.W., see Scarbrough, K. (736) 251

Uchida, D., Arimura, A., Somogyvári-Vigh, A., Shioda, S. and Banks, W.A.
Prevention of ischemia-induced death of hippocampal neurons by pituitary adenylate cyclase activating polypeptide (736) 280

Vallejo, G., see González-González, S. (736) 1
Van Oortmerssen, G., see Korte, S.M. (736) 338
Verhaagh, S., see Joosten, E.A.J. (736) 91
Villarreal, L.P., see Kammesheidt, A. (736) 297

Walsh, T.J., see Dougherty, K.D. (736) 260
Wang, L., Cardin, S., Martínez, V. and Taché, Y.

Intracerebroventricular CRF inhibits cold restraint-induced c-*fos* expression in the dorsal motor nucleus of the vagus and gastric erosions in rats (736) 44
Watanabe, S., see Ohno, M. (736) 180
Whetsell, L., see Schechter, R. (736) 16
Wiesenfeld-Hallin, Z., see Hao, J.-X. (736) 28
Wiestler, O.D., see Blümcke, I. (736) 217
Willis, W.D., see Peng, Y.B. (736) 189
Winn, S.R., see Emerich, D.F. (736) 99
Wolf, H.K., see Blümcke, I. (736) 217
Wurtman, R.J., see Bogdanov, M.B. (736) 76

Xu, X.-J., see Hao, J.-X. (736) 28

Yamada, K., see Dong, K. (736) 61
Yamadori, T., see Dong, K. (736) 61
Yamagata, K., see Ohtsuki, T. (736) 353
Yanagihara, T., see Ohtsuki, T. (736) 353
Yu, W., see Hao, J.-X. (736) 28

Zachariou, V. and Goldstein, B.D.
δ-Opioid receptor modulation of the release of substance P-like immunoreactivity in the dorsal horn of the rat following mechanical or thermal noxious stimulation (736) 305
Zadina, J.E., see Chang, S.L. (736) 227
Zahm, D.S., see Chapman, M.A. (736) 270
Zanni, M., see Giardino, L. (736) 111
Zhang, L., see Dong, K. (736) 61